



TDS 9Q10-4/2021
INTERIORS ONLY

9Q10 SINFONIA

9Q10 SINFONIA IS A DECORATIVE PLASTER FOR INTERIORS, ECOLOGICAL, WITH A SOFT FEELING DURING APPLICATION, WITH A SILK / ALCANTARA EFFECT.



STABILITY: 2 YEARS
PH: 7 - 8° C
VOC: 30 GR/L
NOTE *

FEATURES: WASHABLE
TOOL: ABILE LUX 200 STAINLESS STEEL TROWEL
DRYING TIME: 6 - 8 HOURS DEPENDING ON THE TEMPERATURE.
STORAGE = MAX TEMP. + 30 ° - MIN. TEMP. + 5 °

PHASE 1

APPLY 9Q10 DECOR FONDO BIANCO WITH A ROLLER, DILUTED WITH 5-10% OF WATER.
LEAVE TO DRY COMPLETELY

PHASE 2

APPLY THE 1ST COAT OF 9Q10 SINFONIA WITH ABILE LUX 200 STAINLESS STEEL TROWEL, SMOOTHING THE PRODUCT WELL.
LEAVE TO DRY COMPLETELY.

PHASE 3

APPLY THE 2ND COAT OF 9Q10 SINFONIA WITH ABILE LUX 200 STAINLESS STEEL TROWEL IN ALTERNATING STROKES, IN ORDER TO RECREATE THE LIGHT AND DARK EFFECTS TYPICAL OF THE ALCANTARA FABRIC. LEAVE TO DRY COMPLETELY.

PACKAGE	PACKAGE PERFORMANCE	REFERRING PERFORMANCE
L 2,5	8 - 10 MQ	2 COATS
L 1	3 - 4 MQ	2 COATS

HAZARDS IDENTIFICATION
THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS PURSUANT TO THE PROVISIONS OF REGULATION (EC) 1272/2008 (CLP) (AND SUBSEQUENT AMENDMENTS AND ADJUSTMENTS).



*** NOTE**

THE STABILITY PERIOD IS PURELY INDICATIVE, IT REFERS TO THE MINIMUM STABILITY TIME OF THE PRODUCT IF STORED IN GOOD CONDITIONS ACCORDING TO THE INSTRUCTIONS PROVIDED, IN THE ORIGINAL UNOPENED CONTAINERS AND IN SUITABLE TEMPERATURE CONDITIONS. IF STORED PROPERLY, THE PRODUCT MAY HAVE GREATER STABILITY THAN THE MINIMUM RECOMMENDED PERIOD.